

Dettaglio SA 8415

Codice SA	8415
Descrizione	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated
Unità	
Generato il	15/10/2026 02:44:44
Versione dei dati	2026.04.05 - BIEU THUE XNK 2026.04.05.xlsx
Stato della verifica	Dati tariffari verificati rispetto al file di origine; consigli/corrispondenze indicativi; ammissibilità ALS non verificata.
Link	https://www.tariff.victorws.com/hs-code/8415/

49 righe tariffarie sotto 8415

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8415.10.20	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind designed to be fixed to a window, wall, ceiling or floor, self-contained or “split-system”: / - - Of a cooling capacity not exceeding 21.10 kW	chiếc	45%	30%	10 / 8 (più aliquote)
8415.10.30	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind designed to be fixed to a window, wall, ceiling or floor, self-contained or “split-system”: / - - Of a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW	chiếc	45%	30%	10 / 8 (più aliquote)
8415.10.90	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind designed to be fixed to a window, wall, ceiling or floor, self-contained or “split-system”: / - - Other	chiếc	30%	20%	10 / 8 (più aliquote)
8415.20.10	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind used for persons, in motor vehicles: / - - Of a cooling capacity not exceeding 26.38 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8415.20.90	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Of a kind used for persons, in motor vehicles: / - - Other	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.81.11	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity not exceeding 21.10 kW	chiếc	5%	0%	10 / 8 (più aliquote)
8415.81.12	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity exceeding 21.10 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min	chiếc	5%	0%	10 / 8 (più aliquote)
8415.81.19	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in aircraft: / - - - - Other	chiếc	5%	0%	10 / 8 (più aliquote)
8415.81.21	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in railway rolling stock: / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)
8415.81.29	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in railway rolling stock: / - - - - Other	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.81.31	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8415.81.39	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Other	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.81.95	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Of a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.81.96	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Of a cooling capacity exceeding 26.38 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.81.97	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Other: / - - - - - Of a cooling capacity not exceeding 21.10 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)
8415.81.98	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Other: / - - - - - Of a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)
8415.81.99	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Incorporating a refrigerating unit and a valve for reversal of the cooling/ heat cycle (reversible heat pumps): / - - - Other: / - - - - Other: / - - - - - Other	chiếc	30%	20%	10 / 8 (più aliquote)
8415.82.11	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity exceeding 21.10 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min	chiếc	5%	0%	10 / 8 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8415.82.19	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Other	chiếc	5%	0%	10 / 8 (più aliquote)
8415.82.21	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	40,5%	27%	10 / 8 (più aliquote)
8415.82.29	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Other	chiếc	22,5%	15%	10 / 8 (più aliquote)
8415.82.31	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	40,5%	27%	10 / 8 (più aliquote)
8415.82.39	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Other	chiếc	22,5%	15%	10 / 8 (più aliquote)
8415.82.91	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Other: / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	40,5%	27%	10 / 8 (più aliquote)
8415.82.99	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Other, incorporating a refrigerating unit: / - - - Other: / - - - - Other	chiếc	22,5%	15%	10 / 8 (più aliquote)
8415.83.11	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Of a cooling capacity exceeding 21.10 kW and with an air flow rate of each evaporator unit exceeding 67.96 m3/min	chiếc	5%	0%	10 / 8 (più aliquote)
8415.83.19	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in aircraft: / - - - - Other	chiếc	5%	0%	10 / 8 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8415.83.21	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)
8415.83.29	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in railway rolling stock: / - - - - Other	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.83.31	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)
8415.83.39	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Of a kind used in motor vehicles (other than those of subheading 8415.20): / - - - - Other	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.83.91	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Other: / - - - - Of a cooling capacity not exceeding 26.38 kW	chiếc	37,5%	25%	10 / 8 (più aliquote)
8415.83.99	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Other: / - - Not incorporating a refrigerating unit: / - - - Other: / - - - - Other	chiếc	25,5%	17%	10 / 8 (più aliquote)
8415.90.13	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Of a kind used in aircraft or railway rolling stock	chiếc	5%	0%	8 / 10 (più aliquote)
8415.90.14	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Evaporators or condensers for air conditioning machines for motor vehicles	chiếc	7,5%	5%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8415.90.15	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Chassis, welded and painted, other than of subheading 8415.90.13	chiếc	4,5%	3%	8 / 10 (più aliquote)
8415.90.19	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity not exceeding 21.10 kW: / - - - Other	chiếc	4,5%	3%	8 / 10 (più aliquote)
8415.90.24	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Of a kind used in aircraft or railway rolling stock	chiếc	5%	0%	8 / 10 (più aliquote)
8415.90.25	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Other	chiếc	4,5%	3%	8 / 10 (più aliquote)
8415.90.26	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - Other: / - - - - Of a kind used in aircraft or railway rolling stock	chiếc	5%	0%	8 / 10 (più aliquote)
8415.90.29	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 21.10 kW but not exceeding 26.38 kW: / - - - Other: / - - - - Other	chiếc	4,5%	3%	8 / 10 (più aliquote)
8415.90.34	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Of a kind used in aircraft or railway rolling stock	chiếc	5%	0%	8 / 10 (più aliquote)
8415.90.35	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Other	chiếc	4,5%	3%	8 / 10 (più aliquote)

Codice SA	Descrizione	Unità	Dazio all'importazione ordinario	MFN	VAT
8415.90.36	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - Other: / - - - - Of a kind used in aircraft or railway rolling stock	chiếc	5%	0%	8 / 10 (più aliquote)
8415.90.39	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 26.38 kW but not exceeding 52.75 kW: / - - - Other: / - - - - Other	chiếc	4,5%	3%	8 / 10 (più aliquote)
8415.90.44	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Of a kind used in aircraft or railway rolling stock	chiếc	5%	0%	8 / 10 (più aliquote)
8415.90.45	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - With an air flow rate of each evaporator unit exceeding 67.96 m³/min: / - - - - Other	chiếc	4,5%	3%	8 / 10 (più aliquote)
8415.90.46	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - Other: / - - - - Of a kind used in aircraft or railway rolling stock	chiếc	5%	0%	8 / 10 (più aliquote)
8415.90.49	Air conditioning machines, comprising a motor-driven fan and elements for changing the temperature and humidity, including those machines in which the humidity cannot be separately regulated / - Parts: / - - Of machines with a cooling capacity exceeding 52.75 kW: / - - - Other: / - - - - Other	chiếc	4,5%	3%	8 / 10 (più aliquote)

Questo rapporto è a scopo informativo ed è generato dai dati tariffari di origine e dalle regole di consulenza. Non costituisce una decisione doganale e non conferma la classificazione SA, l'ammissibilità all'ALS né la validità giuridica. L'utente deve verificare rispetto alla normativa vigente.